

# SPECIFICATION FOR APPROVAL

Customer Part No. :

Brightek Part No. : V61608V20MBN1

Time : 2022/01/05

Customer Confirmation	Approval	Checked By	Prepared By
		CB.TAN	GP.LIU



## V61608V20MBN1

**♦**Outline(L\*W\*H): 1.6\*0.8\*0.55 mm

**♦**Good thermal dissipation & optical uniformity



#### **Table of Contents**

Product Code Method	3
Maximum Rating	3
Typical Product Characteristics	4
Range of Bins	
Relative Spectral Power Distribution	5
Typical Diagram Characteristics of Radiation	5
Electronic-Optical Characteristics	(
Thermal Design for De-rating	7
Dimensions	8
Reflow Profile	9
Test Circuit and Handling Precautions	10
Packing	1
D .:	1.

#### **Features**

- Forward current: ≤30mA
- Typical view angle 50% Iv: 120°
- RoHS2.0 and REACH-compliant
- Lens color: white diffused
- Qualified according to JEDEC moisturevity Level 2a
- ESD level 2 kV(HBM)
- Reliability Test: AEC Q-102qualified

### **Applications**

- Indoor lighting applications
- Flat backlight for LCD. Switch and symbol
- Indicator and backlighting for all consumer electronics
- Automotive electronics
- Others applications



### **■** Product Code Method

V6 - 1608 - V20- M - B - N1

① ② ③ ④ ⑤

1	2	3	4	5	6
Process Type	Lead Frame Size	Dice wavelength	Cap Color	Spectral Condition Code	Flow Code
V6 : special product	1608: 1.6* 0.8mm	Vxx: red	M: white diffused	B: 5mA	N: no zener 1: no expression above meaning for company

### ■ Maximum Rating(Ta=25°C)

**Characteristics Symbol Typical** Unit DC Forward Current 30  $I_{F}$ mA Pulse Forward Current\*3 100 mA $I_{PF}$ V Reverse Voltage  $V_R$ 10  $^{0}C$  $T_{\rm J}$ 125 Junction Temperature Operating Temperature Range  $T_{OP}$ -40-105  $^{\circ}C$  $^{\mathrm{o}}\mathrm{C}$ Storage Temperature Range -40-105  $T_{STG}$ Soldering Temperature\*4 260  $^{\circ}C$  $T_{SD}$ Thermal Resistance Junction/ RTH<sub>J-S</sub> 140  $^{\circ}$ C/W Solder Point Thermal Resistance Junction/  $^{\circ}$ C/W RTH<sub>J-A</sub> 280 **Ambient Point** 

Notes 1: There is no maximum or typical voltage parameter

2: For other ambient, limited setting of current will be depended on de-rating curves.

3: Duty 1/10, pulse width 0.1ms

4: The maximum of soldering time is 10 seconds in  $T_{\text{SD}}$ 



### ■ Typical Product Characteristics(Ta=25°C)

Characteristics **Symbol Test Condition** Min. Typ. Max. Unit V Forward Voltage  $V_{F} \\$ 1.6 1.9 2.2  $I_F=5mA$ Luminous Intensity Iv 25 40 63  $I_F=5mA$ mcd Dominant Wavelength λd 618 628  $I_F=5mA$ nmPeak Wavelength 628 IF=5mA λр nm Spectral Width 50%  $\Delta\lambda$ 13 IF=5mA nm Reverse Current  $V_R = 10V$  $I_R$ 10 μΑ 120 Viewing Angle  $2\theta_{1/2}$ Deg  $I_F=5mA$ 

Notes: 1. Measurement Errors:

Forward Voltage:  $\pm 0.1$ V, Luminous Intensity:  $\pm 10\%$ Iv, Dominant Wavelength:  $\pm 1.0$ nm, Viewing Angle  $(2\theta_{1/2})$ :  $\pm 5\%$ 

2. Electrical-Optical Characteristics (Ta=25°C)

### ■ Range of Bins

### 1) Forward Voltage $(I_F = 5mA)$

Bin Code	Min. V <sub>F</sub> (V)	Max. V <sub>F</sub> (V)	
D	1.6	1.8	
Е	1.8	2.0	
F	2.0	2.2	

#### 2) Luminous Intensity ( $I_F = 5mA$ )


Bin Code	Min. I <sub>V</sub> (mcd)	Max. Iv(mcd)	
6	25	32	
7	32	40	
8	40	50	
9	50	63	

#### 3) Dominant Wavelength ( $I_F = 5mA$ )


Bin Code	Min.λd (nm)	Max.λd(nm)	
V1	618	623	
V2	623	628	



### **Relative Spectral Power Distribution**




### **Typical Diagram Characteristics of Radiation**






### **■** Electronic-Optical Characteristics


#### Forward Current vs. Forward Voltage




#### Forward Voltage vs. Solder Temperature




#### **Relative Intensity vs. Forward Current**




Relative Intensity vs. Solder Temperature



#### Wavelength shift vs. Forward Current




#### Wavelength shift vs. Solder Temperature





### **■** Thermal Design for De-rating


The maximum forward current is determined by the thermal resistance between the LED junction and solder point. It is crucial for the end product to be designed in a manner that minimizes the thermal resistance from the solder point to ambient in order to optimize lamp life and optical characteristics.






### Dimensions


\_\_\_\_\_



Top View



**Bottom View** 




Side View



**Polarity** 

## **Recommend Pad layout**




Notes: 1. All dimensions are in millimeters

- 2. Tolerance is  $\pm 0.1$ mm unless otherwise noted
- 3. Specifications are subject to change without notice.



### ■ Reflow Profile

### **SMT Reflow Soldering Profile**



Duofilo Ecotumo	Symbol	Pb-Free (SnAgCu) Assembly			<b>T</b> 194
Profile Feature		Min.	Recommendation	Max.	Unit
Ramp-up rate to preheat (25°C to 150°C)	-	-	2	3	K/s
Time $t_S$ ( $T_{S min}$ to $T_{S max}$ )	$t_{\mathrm{S}}$	60	100	120	S
Ramp-up rate to peak $(T_{S \text{ max}} \text{ to } T_P)$	-	_	2	3	K/s
Liquidus temperature	$T_{ m L}$	-	217	-	°C
Time above liquidus temperature	$t_{ m L}$	-	80	100	S
Peak temperature	T <sub>P</sub>	-	245	260	°C
Time within 5 °C of the specified peak temperature T <sub>P</sub> - 5 K	t <sub>P</sub>	-	-	10	S
Ramp-down Rate (T <sub>P</sub> to 100 °C)	-	-	3	4	K/s
Time 25 °C to T <sub>P</sub>	-	-	-	480	S


#### Notes:

- 1. Do not stress the silicone resin while it is exposed to high temperature.
- 2. The reflow process should not exceed 3 times.



### ■ Test Circuit and Handling Precautions

#### 1. Test Circuit



#### 2. Handling Precautions

#### 2.1. Over-current-proof

Customer must apply resistors for protection; otherwise slight voltage shift will cause big current change (Burn out will happen).

#### 2.2. Storage

1). It is recommended to store the products in the following conditions:

Humidity: 60% R.H. Max.

Temperature:  $5^{\circ}\text{C} \sim 30^{\circ}\text{C} (41^{\circ}\text{F} \sim 86^{\circ}\text{F})$ 

2). Shelf life in sealed bag: 12 month at  $<5^{\circ}\text{C} \sim 30^{\circ}\text{C}$  and <60% R.H. after the package is Opened, the products should be used within four weeks or they should be keeping to stored at  $\leq 20\%$ R.H. with zip-lock sealed.

#### 2.3. Baking

If the package has been opened for more than 4 weeks or over than 12 months in sealed bag, it is recommended to bake the products with the following instruction:

1).  $60\pm3^{\circ}$ C X 6hrs and <5%RH, for reel

2).  $125\pm3^{\circ}$ C X 2hrs, for single LED


It shall be normal to see slight color fading of carrier (light yellow) after baking in process




### Packing


#### • Feeding Direction (Unit: mm)

#### Dimensions of Reel (Unit: mm)






#### • Dimensions of Tape (Unit: mm)



#### Arrangement of Tape




#### **Notes:**

- 1. Empty component pockets are sealed with top cover tape
- 2. The max loss number of SMD is 2pcs;
- 3. The cathode is oriented towards the tape sprocket hole in accordance with ANSI/EIA RS-481 specifications;
- 4. 4,000pcs per reel;
- 5. The remainder packing in multiples of 500pcs.



### Packing

### • Packaging Specifications



#### Notes:

Reeled product (max.4,000) is packed in a sealed moisture-proof bag. Seven bags are packed in an inner box (size: about 260 X 230 X 100 mm) and four inner boxes are in an outer box (size: about 480 X 275 X 215 mm). On the label of moisture-poof bag, there should be the information of Part No., Lot No. and quantity number; also the total quantity number should be on inspection request form on outer box.



#### Precautions


#### 1. Abnormal situation caused by improper setting of collet

To choose the right collet is the key issue in improving the product's quality. LED is different from other electronic components, which is not only about electrical output but also for optical output. This characteristic made LED more fragile in the process of SMT. If the collet's lowering down height is not well set, it will bring damage to the gold wire at the time of collet's picking up and loading which will cause the LED fail to light up, light up now and then or other quality problems


#### 2. How to choose the collet

During SMT, please choose the collet that has larger outer diameter than the lighting area of lens, in case that improper position of collet will damage the gold wire inside the LED. Different collets fit for different products, please refer to the following pictures cross out

#### Outer diameter of collet should be larger than the lighting area



Picture  $1(\sqrt{})$ 



Picture 2(X)

#### 3. Other points for attention

- A. No pressure should be exerted to the epoxy shell of the SMD under high temperature.
- B. Do not scratch or wipe the lens since the lens and gold wire inside are rather fragile and cross out easy to break.
- C. LED should be used as soon as possible when being taken out of the original package, and should be stored in anti-moisture and anti-ESD package.

### 4. This usage and handling instruction is only for your reference.

Note: Version updates will not be announced and Brightek will have the final interpretation rights